


EPA Method 8270 Acids Mix on ZB-5MS**Column:** Zebtron[™] ZB-5MS, GC Cap. Column 30 m x 0.25 mm x 0.25 µm, Ea**Phase:** 5% Phenyl-Arylene 95% Dimethylpolysiloxane**Dimensions:** 30 meters x 0.25 mm x 0.25 µm**Order No:** 7HG-G010-11**Oven Profile:** 45°C to 320°C at 9°C/min for 4 min**Carrier Gas:** Constant Flow Helium, 1.24 mL/min**Injection:** Splitless :1 1 µL @ 250°C**Detection:** Mass Selective (MSD) (240°C)

14948

**Products used in this application:**

EPA Method 8270 Acids Mix on ZB-5MS

ANALYTES:

- 1 Phenol
- 2 1,4-Dichlorobenzene-d4
- 3 2-Nitrophenol
- 4 2,4-Dichlorophenol
- 5 Naphthalene-d8
- 6 4-Chloro-3-methylphenol
- 7 2,4,6-Trichlorophenol
- 8 Acenaphthene-d10
- 9 Pentachlorophenol
- 10 Phenanthrene-d10
- 11 Chrysene-d12
- 12 Perylene-d12

