GC Application



Phencyclidine by MSD on a ZB-5MS

Column: Phase: Dimensions: Order No: Oven Profile:	Zebron™ ZB-5MS, GC Cap. Column 10 m x 0.18 mm x 0.18 µm, Ea 5% Phenyl-Arylene 95% Dimethylpolysiloxane 10 meters x 0.18 mm x 0.18 µm 7CD-G010-08 150 °C to 320 °C @ 20 °C/ min	Constant Date of the Constant
Carrier Gas: Injection: Detection: Analyst Note:	Constant Flow He, 1.2 mL/min Split 10:1 1 µL @ 250°C Refractive Index (200°C) Analytes 100ppb in Ethyl Acetate Sim ions: (Quant ion*) D5-Phencyclidine (*205,248): Phencyclidine (*200,243,186)	Products used in this application:
16734		Zebron
1 1	1.75 2 2.25 2.50 2.75	3 min

ANALYTES:

- 1 Phencyclidine-d5
- 2 Phencyclidine

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at international@phenomenex.