# **HPLC Application** ID No.: **20920**



### Human Plasma Vitamin C on Kinetex 5u XB-C18, 150x4.6mm (Spiked)

Kinetex® 5µm XB-C18 100 Å, LC Column 150 x 4.6 mm, Ea

150 x 4.6 mm ID **Dimensions:** Order No: 00F-4605-E0 **Elution Type:** Gradient

Eluent A: 0.1% formic acid Eluent B: Methanol 100%

Gradient	Step No.	Time (min)	Pct A	Pct B
Profile:	1	0	100	0
	2	3.5	100	0
	3	3.6	0	100
	4	5	0	100
	5	5.1	100	0
	6	7	100	0




Products used in this application:



Flow Rate: 800 Col. Temp.: ambient

Electrospray Mass Spec (ESMS) @ 0.0000000000 (ambient) **Detection:** 



### **ANALYTES:**

Vitamin C

Retention Time: 2.205 min

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at international@phenomenex



## Sample Preparation Details for HPLC Application ID No.: 20920



## Human Plasma Vitamin C on Kinetex 5u XB-C18, 150x4.6mm (Spiked)

#### **PRODUCT DESCRIPTION:**

Impact™ Protein Precipitation, 2mL Square Well Filter Plate, 2/Pk

Order No.: CE0-7565

SOLID PHASE EXTRACTION (SPE) PRODCEDURE
---

Note: The solvent volumes shown below are for a Proprietary bed mass.

The solvent volumes will need to be adjusted for a smaller or larger bed mass.

Condition:					
Load:					
Wash:					
Dry:					
Elute:					
Final Prep and Analysis:					
Inject: 1 μL on HPLC Elec	ctrospray Mass Spec (ESMS	6) @ 0.0000	000000 (ar	nbient)	
ANALYTES:	Spiked Conc. (ng/mL)	Log P	pKa	% Rec	%RSC (n=0)
1 Vitamin C	50				

This method is designed as a convenient starting point for further investigation and can be tailored to meet your extraction goals. Call your local Phenomenex Representative for assistance in method development and optimization techniques.

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at international@phenomenex

